



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((power <and> coupler <and> gaas)<ln>metadata)"

Your search matched 88 of 1322957 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)

[New Search](#)

Modify Search

```
((power <and> coupler <and> gaas)<in>metadata)
```

Search >

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceedings

IEEE STD IEEE Standard

view selected items

Select All Deselect All

View: 1-25 |

1. **GaAs monolithic Lange and Wilkinson couplers**
Waterman, R.C., Jr.; Fabian, W.; Pucel, R.A.; Tajima, Y.; Vorhaus, J.L.;
[Electron Devices, IEEE Transactions on](#)
Volume 28, Issue 2, Feb 1981 Page(s):212 - 216
[AbstractPlus](#) | Full Text: [PDF\(744 KB\)](#) IEEE JNL
[Rights and Permissions](#)
2. **Preliminary study of transcutaneous optical coupling for implantable devices using GaAs structures**
Shamsuddin, A.K.M.; Tamura, T.; Nakajima, K.; Togawa, T.;
[Engineering in Medicine and Biology Society, 1995 and 14th Conference of the Biomedical Engineering Society, Proceedings of the First Regional Conference., IEEE](#)
15-18 Feb. 1995 Page(s):1/39 - 1/40
Digital Object Identifier 10.1109/RCEMBS.1995.508679
[AbstractPlus](#) | Full Text: [PDF\(168 KB\)](#) IEEE CNF
[Rights and Permissions](#)
3. **Three-guide optical couplers in GaAs**
Donnelly, J.; DeMeo, N.; Ferrante, G.;
[Lightwave Technology, Journal of](#)
Volume 1, Issue 2, Jun 1983 Page(s):417 - 424
[AbstractPlus](#) | Full Text: [PDF\(2888 KB\)](#) IEEE JNL
[Rights and Permissions](#)
4. **Exact analytic solutions to the nonlinear wave equation for a saturable Kerr-like medium: monolithic optical waveguides and couplers**
Begin, J.D.; Cada, M.;
[Quantum Electronics, IEEE Journal of](#)
Volume 30, Issue 12, Dec. 1994 Page(s):3006 - 3016
Digital Object Identifier 10.1109/3.362704
[AbstractPlus](#) | Full Text: [PDF\(940 KB\)](#) IEEE JNL
[Rights and Permissions](#)
5. **An X-band high-efficiency ion-implanted MMIC power amplifier**
Le, H.; Shih, Y.C.; Chi, T.; Kasel, K.; Wang, D.C.;
[Gallium Arsenide Integrated Circuit \(GaAs IC\) Symposium, 1990. Technical Digest 1990., 12th Annual Meeting, IEEE](#)
7-10 Oct. 1990 Page(s):361 - 364
Digital Object Identifier 10.1109/GAAS.1990.175529

[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 6. **A 90W S-band high power amplifier for broadband wireless applications**
Matsunaga, K.; Shimawaki, H.;
[Microwave Symposium Digest, 2003 IEEE MTT-S International](#)
Volume 1, 8-13 June 2003 Page(s):73 - 76 vol.1
[AbstractPlus](#) | Full Text: [PDF\(395 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 7. **A 560 mW, 21% power-added efficiency V-band MMIC power amplifier**
Tang, O.S.A.; Duh, K.H.G.; Liu, S.M.J.; Smith, P.M.; Kopp, W.F.; Rogers, T.J.; Pritchard, D.J.;
[Gallium Arsenide Integrated Circuit \(GaAs IC\) Symposium, 1996. Technical Digest 1996., 18th Anr](#)
3-6 Nov. 1996 Page(s):115 - 118
Digital Object Identifier 10.1109/GAAS.1996.567819
[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 8. **Embedded passives in organic substrate for RF module and assembly characterization**
Li, L.;
[High Density Microsystem Design and Packaging and Component Failure Analysis, 2004. HDP '04](#)
[Sixth IEEE CPMT Conference on](#)
30 June-3 July 2004 Page(s):74 - 82
Digital Object Identifier 10.1109/HPD.2004.1346677
[AbstractPlus](#) | Full Text: [PDF\(1173 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 9. **Integrated power measurement circuit for RF power amplifiers**
Pollanen, O.; Jarvinen, E.;
[Radio and Wireless Conference, 2000. RAWCON 2000. 2000 IEEE](#)
10-13 Sept. 2000 Page(s):235 - 238
Digital Object Identifier 10.1109/RAWCON.2000.881898
[AbstractPlus](#) | Full Text: [PDF\(196 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 10. **Design and characteristics of high-power (>0.5-W CW) diode-pumped vertical-external-cavity semiconductor lasers with circular TEM₀₀ beams**
Kuznetsov, M.; Hakim, F.; Sprague, R.; Mooradian, A.;
[Selected Topics in Quantum Electronics, IEEE Journal of](#)
Volume 5, Issue 3, May-June 1999 Page(s):561 - 573
Digital Object Identifier 10.1109/2944.788419
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(384 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 11. **The design of medium power C-band balanced amplifiers**
Cegielski, T.; Matuszewski, R.;
[Microwaves, Radar and Wireless Communications, 2004. MICON-2004., 15th International Confere](#)
Volume 1, 17-19 May 2004 Page(s):107 - 110 Vol.1
[AbstractPlus](#) | Full Text: [PDF\(321 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 12. **Characteristics of multistage monolithically integrated master oscillator power amplifiers**
Mehuys, D.; Parke, R.; Waarts, R.G.; Welch, D.F.; Hardy, A.; Streifer, W.; Scifres, D.R.;
[Quantum Electronics, IEEE Journal of](#)
Volume 27, Issue 6, June 1991 Page(s):1574 - 1581
Digital Object Identifier 10.1109/3.89980
[AbstractPlus](#) | Full Text: [PDF\(812 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 13. Monolithic Integration of GaAs-AlGaAs quantum-well lasers with directional couplers using light
Boche, B.; Muller, R.; Bohm, G.; Trankle, G.; Weimann, G.;
[Photonics Technology Letters, IEEE](#)
Volume 8, Issue 12, Dec. 1996 Page(s):1591 - 1593
Digital Object Identifier 10.1109/68.544687
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(372 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 14. Performance of field-induced directional coupler switches
Chinni, V.R.; Huang, T.C.; Wai, P.K.A.; Menyuk, C.R.; Simonis, C.J.;
[Quantum Electronics, IEEE Journal of](#)
Volume 31, Issue 11, Nov. 1995 Page(s):2068 - 2074
Digital Object Identifier 10.1109/3.469289
[AbstractPlus](#) | Full Text: [PDF\(716 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 15. Highly tunable fiber-coupled photomixers with coherent terahertz output power
Verghese, S.; McIntosh, K.A.; Brown, E.R.;
[Microwave Theory and Techniques, IEEE Transactions on](#)
Volume 45, Issue 8, Part 2, Aug. 1997 Page(s):1301 - 1309
Digital Object Identifier 10.1109/22.618428
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(200 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 16. V-band high-order harmonic injection-locked frequency-divider MMICs with wide bandwidth dissipation
Jinho Jeong; Youngwoo Kwon;
[Microwave Theory and Techniques, IEEE Transactions on](#)
Volume 53, Issue 6, Part 1, June 2005 Page(s):1891 - 1898
Digital Object Identifier 10.1109/TMTT.2005.848089
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(632 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 17. A 77 GHz GaAs pHEMT transceiver MMIC for automotive sensor applications
Tessmann, A.; Verweyen, L.; Neumann, N.; Massler, H.; Haydl, W.H.; Hulsmann, A.; Schlechtweg,
[Gallium Arsenide Integrated Circuit \(GaAs IC\) Symposium, 1999. 21st Annual](#)
17-20 Oct. 1999 Page(s):207 - 210
Digital Object Identifier 10.1109/GAAS.1999.803759
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 18. High-linearity, low DC power GaAs HBT broadband amplifiers to 11 GHz
Nelson, B.L.; Perry, C.B.; Dixit, R.; Allen, B.R.; Kim, M.E.; Oki, A.K.; Camou, J.B.; Umemoto, D.K.;
[Gallium Arsenide Integrated Circuit \(GaAs IC\) Symposium, 1989. Technical Digest 1989., 11th Anr](#)
22-25 Oct. 1989 Page(s):79 - 82
Digital Object Identifier 10.1109/GAAS.1989.69298
[AbstractPlus](#) | Full Text: [PDF\(332 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 19. High-power (>0.5-W CW) diode-pumped vertical-external-cavity surface-emitting semicondu circular TEM₀₀ beams
Kuznetsov, M.; Hakimi, F.; Sprague, R.; Mooradian, A.;
[Photonics Technology Letters, IEEE](#)
Volume 9, Issue 8, Aug. 1997 Page(s):1063 - 1065
Digital Object Identifier 10.1109/68.605500
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(100 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 20. **Experimental 6-GHz frozen wave generator with fiber-optic feed**
Thaxter, J.B.; Bell, R.E.;
[Microwave Theory and Techniques, IEEE Transactions on](#)
Volume 43, Issue 8, Aug. 1995 Page(s):1798 - 1804
Digital Object Identifier 10.1109/22.402262
[AbstractPlus](#) | Full Text: [PDF](#)(644 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 21. **Characterization of transfer molding effects on RF performance of power amplifier module**
Li, L.; Kapur, A.; Heames, K.B.;
[Electronic Components and Technology, 2004. ECTC '04. Proceedings](#)
Volume 2, 1-4 June 2004 Page(s):1671 - 1677 Vol.2
Digital Object Identifier 10.1109/ECTC.2004.1320340
[AbstractPlus](#) | Full Text: [PDF](#)(609 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 22. **Very low power nonlinear directional coupling in a p-I (MQW)-n vertical coupler using an ele**
Cavailles, J.A.; Erman, M.;
[Photonics Technology Letters, IEEE](#)
Volume 2, Issue 5, May 1990 Page(s):343 - 345
Digital Object Identifier 10.1109/68.54700
[AbstractPlus](#) | Full Text: [PDF](#)(212 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 23. **CW and Q-switched mode-locking of a Nd:YVO/sub 4/ laser with a GaAs wafer**
Shen, D.Y.; Tang, D.Y.; Lu, C.;
[Lasers and Electro-Optics, 2002. CLEO '02, Technical Digest. Summaries of Papers Presented at](#)
2002 Page(s):151 - 152 vol.1
Digital Object Identifier 10.1109/CLEO.2002.1033548
[AbstractPlus](#) | Full Text: [PDF](#)(343 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 24. **Development of a monolithic FET Ka-band single side band upconverter and image reject de**
Brady, V.; Hsu, T.-I.; Reeves, R.; Vermeulen, M.;
[Gallium Arsenide Integrated Circuit \(GaAs IC\) Symposium, 1989. Technical Digest 1989., 11th Ann](#)
22-25 Oct. 1989 Page(s):189 - 192
Digital Object Identifier 10.1109/GAAS.1989.69323
[AbstractPlus](#) | Full Text: [PDF](#)(292 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 25. **Optical signal distribution in waveguide-coupled metal-smiconductor-metal detector arrays**
Ersoni, M.; Xiucheng Wu; Jessop, P.E.; Noad, J.P.;
[Lightwave Technology, Journal of](#)
Volume 15, Issue 2, Feb. 1997 Page(s):328 - 333
Digital Object Identifier 10.1109/50.554385
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(160 KB) IEEE JNL
[Rights and Permissions](#)

View: 1-25 |